

Medicina Sportiva

The Journal of Romanian Sport Medicine Society

Vol. VIII, No. 4 – 2012

14.12.2012

EDITORIAL STAFF

Assoc. Prof. Mirela Maria Vasilescu - *Editor-in-Chief*

Professor Ligia Rusu - *Managing Editor*

Assoc. Prof. Anca Ionescu - *Scientific Editor*

EDITORIAL BOARD

Apostol Adela - Bucharest, Romania
Atanasescu Renee - Bucharest, Romania
Busneag Răzvan - Bucharest, Romania
Cosma Germina - Craiova, Romania
Duma Eugen – Cluj Napoca, Romania
Georgescu Mariana - Bucharest, Romania
Panait Gabriel - Bucharest, Romania
Popescu Alin - Bucharest, Romania
Serbescu Ioan - Timisoara, Romania
Siirghi Brandusa - Bucharest, Romania

SCIENTIFIC REVIEW BOARD

Avramescu Taina Elena - University of Craiova, Romania
Berteanu Mihai - University of Medicine and Pharmacy Bucharest, Rehabilitation Department, Romania
Bas Aslan Ummuhan – Pamukkale University, Denizli, Turkey
Branzaniuc Klara – University of Medicine, Tg Mures, Anatomy Department, Romania
Cavlak Ugur - Pamukkale University, School of Physical Therapy and Rehabilitation, Denizli, Turkey
Derevenco Petru - Romanian Academy of Medical Sciences, Romania
Dikic Nenad - Anti-Doping Agency of Serbia, Sports Academy, Beograd, Serbia
Dimitrova Diana – Sports Medicine Department, National Sports Academy, Sofia, Bulgaria
Donatelli Robert - National Director of Specific Rehabilitation and Performance Enhancement Programs – Las Vegas, Nevada, USA
Drosescu Paula – University A.I.Cuza, Faculty of Physical Education and Sport, Iasi, Romania
Emin Ergen – University of Medicine, Ankara, EFSMA Executive Board, FIMS Executive Board, Turkey
Gamze Ekici - Ahi Evran University, School of Physical Therapy and Rehabilitation, Kirsehir, Turkey
Georgescu Luminita - University of Pitesti, Romania
Nastis Konstantinos - Aristotle University of Thessaloniki, Greece
Nestianu Valeriu - University of Medicine and Pharmacy Craiova, National Academy of Medical Sciences member, Romania
Nica Adriana – University of Medicine and Pharmacy, Bucharest, Romania
Oravitan Mihaela – West University of Timisoara, Romania
Popescu Roxana - University of Medicine and Pharmacy Craiova, Romania

ISSN 1841-0162

Publisher “Universitaria”, Brestei 156, 200177, Craiova, Romania

Editorial Office Address: University of Craiova, Physical Education and Sports Faculty,
Brestei 156, 200177, Craiova, Romania

Site adress:

<http://www.medicinasportiva.ro>

Technical editor

Eng. Aurora Beldiman (University of Craiova)

Aquatic fitness and rehabilitation at individuals with disabilities

Stan Elena Amelia

Faculty of Physical Education and Sport, Ecological University, Bucharest, Romania

Abstract. People with disabilities frequently are unable to exercise on land. Through water exercise they can contribute to their own health and wellness. People with disabilities can develop and maintain a level of physical fitness that can decrease or prevent the risk of appearance of other diseases, in spite of psychological obstacles that still remain in our country today. Depending on availability hydrotherapists should help patients to set goals and objectives and adapt equipments and skills to their needs. Our hydrotherapists must apply the concepts about maintaining health and fitness and make the adaptations to aquatic fitness training for people with disabilities to organize a program that will meet all the needs of patients.

Key words: *aquatic fitness, rehabilitation, disabilities.*

Introduction

Traditionally, society has often perceived disability as unhealthy but when considering the persons health, psychological well-being as physical health must be recognized.

"Wellness is an approach to personal health that emphasizes the individual's responsibility for well-being through the practice of health-promoting life style behaviors" (1). Water treatment programs and for maintenance can provide ways to restore the level of fitness but are also beneficial for people with or without acute or chronic disorders.

It is essential to our country to change limited attitudes of aquatics leadership, staff, and participants without disabilities, and other patrons to accept, include and learn about people with disabilities.

Instructors and hydrotherapists must adapt aquatic exercise techniques, equipment and environmental and social factors to encourage disabled people to make lifestyle changes necessary, therefore ensuring long-term success.

Physical fitness is more than one aspect of wellness. It can act as a catalyst for improving other aspects of wellness, including mental well-being, social, emotional and spiritual. In striving to increase the fitness of participants with disabilities and coverage of issues relating to contraindications related to aquatic recovery, the hydrotherapist can shape a structure for appropriate practices and a platform for further study.

Health related physical fitness and aquatic exercises

"Physical fitness is generally accepted as the ability to carry out daily tasks with vigor and alertness, without fatigue, and with ample energy to enjoy leisure pursuits and to meet unforeseen emergencies" (2).

The most frequently cited physical fitness measures fall into two groups: health related measures and measures related to sports skills. Skill related physical fitness is important to participate in various individual and team sports. The skill related components are defined as: agility – the ability to change the position of the whole body in space with speed and accuracy, balance – the ability to maintain balance on the spot and in moving, coordination – using senses such as sight and hearing, together with other parts of the body to perform motor tasks smoothly and accurately, power – the rate at which a person may perform physical activities, reaction time – the time elapsed between stimulation and the beginning of the resulting reaction, speed – the ability to perform a movement within a short time (3).

"Health related physical fitness refers to a person's ability to work effectively, enjoy leisure time, resist hypokinetic diseases, and meet emergency situations" (3).

"It includes body composition, cardiorespiratory endurance, flexibility, muscular endurance, and strength" (4).

These health related components are defined as: body composition – The relative amounts of muscle, fat, bone, and other vital parts of the human body, cardiorespiratory endurance – the ability of the circulatory and respiratory systems to supply oxygen during sustained physical activity, flexibility – the range of motion available at a joint, muscular endurance – the ability of the muscle to continue to performer without fatigue, muscular strength – The ability of the muscle to exert force (3).

”The trend today in the United States is to emphasize the development of health related fitness elements and to push for their prominence in school, work, and community programs” (1). Cardiorespiratory endurance is the main constituent of health related fitness. Thus, swimming programs are the primary activities that work large muscle groups for an extended time and they are the best ways for regular exercise leading to health related physical fitness.

Aquatic programs of swimming exercises have become a popular activity that meets the needs of a culturally diverse society and with various physical or mental needs. The center of practicing in water tends to be on physical fitness, independence and mobility, maintaining or improving the level of physical training. Walking, running (both in deep water and low water) aerobics performed to music, sports specific workouts, step aerobics, tai chi and circuit training are just some examples of aquatic activities used to enhance physical fitness. Depending on the availability of the pool, the programs facilitate participation in activities or in combinations of programs based on interest and physical capacity. Integration of persons with disabilities in an aquatic program requires the presence of aquatic instructor prepared for such conditions, with a good attitude to inclusion, and/or the presence of a person who helps the patient in collaboration with the instructor.

Children, adolescents and adults, people with disabilities, athletes with or without sports injuries, and older people are participating in aquatic exercise. People with chronic medical disorders, as arthritis, coronary heart disease, or multiple sclerosis, use aquatic exercise as a rehabilitation instrument to go back to the former activity. Kinesiotherapists, occupational therapists, physical therapists frequently avail aquatic therapy and conditioning to help injured people to make the strength and endurance that they need for returning at the working world.

Other persons participating in aquatic exercise prescribed include obese people, pregnant women or who have had recent surgery. Although water was used for therapeutic purposes for centuries, only recently is widely used in community rehabilitation. Therefore, the issue of who is qualified to provide these services continues to be a dynamic group. ”Aquatic therapy can be defined as using an aquatic medium to achieve physical therapy goals, and therapeutic exercises are those activities that are prescribed by a doctor, a physical therapist, or an occupational therapist” (5, 6).

Most people practice aquatic exercises because the body can not cope with the impact of intense exercise on land, but they still want to exercise and get fit. As older people become more concerned with quality of life, recognize the importance of daily exercise to maintain health and independence.

In aquatic therapy the number and the combination of the exercises are processed according to age and disease, of development of movement and to the temperature of the water.

Participation factors and challenges

”Obstacles may confront a person with disabilities who is trying to achieve physical fitness. Physiological and psychological obstacles include fear of water, seizures, cardiac dysfunction, open wounds, tracheotomies and intravenous lines” (7). ”Health-promoting behaviors were viewed as essential to the process of rehabilitation and maintaining an acceptable quality of life. Implications are that health promotion efforts need to be encouraged and supported in individuals with chronic disabling conditions” (8). Together with hydrotherapist, the patient must establish goals and objectives and embark on a regimen to improve physical fitness, depending on the specific condition.

Current fitness status, before the accident or surgery. A person active and engaged in fitness before injury or surgery, it will want to use water as a means of rehabilitation programs. A person with long-term disability and is currently active, is more likely to seek aquatic fitness. People with a higher level of fitness are often more motivated to perform fitness programs.

Swimming abilities present before the accident or surgery. In practicing aquatics the risk is minimal. Participants can feel anxiety if they are unfamiliar with swimming skills, may feel apprehension and fear of starting a fitness program in water.

Fear of water can limit effectiveness aquatic exercise programs and even elevated negative symptoms. Guiding participants to move through water, including the effects of sinking and balanced, the use of flotation devices, to walk, run, and other aquatic exercises may be the only way to initially expose individual to the aquatic environment.

"The most prominent secondary risk of aquatic exercising is overdoing activity due to the waters effect on buoyancy" (9). "A thorough initial orientation and limited initial activity will help a participant swim sooner than later. People who were swimmers before experiencing an accident may not experience fear but may have unrealistic expectations as to what they can now perform" (4). Swimmers, divers, water polo players, performers in water activities, can get frustrated when they realize that they cannot turn back to prior skill levels.

Sedentary life. Lack of strenght and endurance is the main problem for individual who was at bad rest for a longer period of time. The training in this case must be done very slowly.

Attention must be on people who take medication. „Seizure medications, for example, may cause side effects that interfere with target heart rates. Furthermore, excitement, frustration, strobe lights, hypoglycemia" (10).

Physical capabilities. The hydrotherapist must develop a program for the participant. There are several problems like excessive muscle tones, paralysis, postsurgical status, hydrostatic water pressure, behavior problems and balance that may limit aquatic activities the participant can perform to improve fitness. Some typical fitness activities such as swimming unaided, treading water on spot or in movement may not be possible with certain physical disabilities. Flotation devices and stationary objects such as docks and all the seats, however, can assist people with balance problems in the development of other components of skill-related fitness, and agility.

Understanding fitness. Fitness is not an easy concept to understand, mainly for individual who have cognitive disabilities. Heating moments are a good time to explain the basic principles of fitness, to involve total person in practice. If the information you need to present is too difficult for people to understand it, benefits such as feeling good pair and look good with images of people who rise through the water practicing.

The therapist has the role to show the practitioner the advantages of practicing swimming and the

other aquatic exercises throughout life. A participant may continue to swim independently while realizing that there are other benefits of attending swimming pools in addition to recreation and entertainment.

Other points to include motivational reason to practice of lifelong fitness is the value that it offers our lives outside the pool: you may want to swim when will learn that can help you gain and maintain strength and endurance, necessary to transfer in and out of the wheelchair and bed for people with physical impairment, or you may see swimming as a social outlet.

Available equipment. There are several pieces of equipment that can be used during the aquatic fitness, like jacket, fitness paddles, plastic hand paddles, noodles. Some increase resistance and other are used as flotation devices.

Therapists can work with physical trainers, or with physiologists for plan and improving programs.

Enhancing cardio-respiratory resistance

Success in activities that require supported rhythmic movement depends on a good level of cardiorespiratory resistance. People with disabilities need cardiorespiratory strength to push on long-distance wheelchair, ambulance braces, or walkers, running daily work and household activities. Cardiorespiratory fitness is best achieved through aerobic exercise. The term aerobic means with oxygen. The ability of the heart, vascular system and respiratory system to move oxygenated blood efficiently to the muscles and the ability of the muscles to use oxygen efficiently for a longer time establish the amount of resistance that a participant shows. For cardiorespiratory training to be carried by aquatic exercise, swimming activities must involve large muscle groups of the legs and buttocks and should last 20 minutes while the participant is working on his target heart rates.

General principles of physical training are the same for people with or without disabilities. Thus, the frequency, intensity, time and the type of aquatic activity are set according to what the individual wants to achieve.

Enhancing flexibility

"Flexibility is the ability to move a joint through its complete range of motion" (11). "There are various methods of developing flexibility, including active (static or ballistic), passive, and combined" (12).